HumaStar 300SR

Random Access System for Medium-Sized Laboratories

- > Flexible system reagent concept
- > Proven hardware & software based on HumaStar family
- > Eco-friendly with ProClean 2.0 Technology

CLINICAL CHEMISTRY









HumaStar 300SR

Rock-solid, Reliable and Worry-free

- > Upgrade to proven quality and cutting-edge technology
- > Provide reliable results
- > Ease your daily routine

Proven Hardware and Software Quality of HumaStar 100/200 More than 40 Years of Experience in Clinical Chemistry



Worry-free Package

 Perfectly matching analyzer, reagents, methods, calibrators, controls



Adapted to your Needs

- > Two reagent kit sizes
- > Ready-to-use and validated



Intuitive and Powerful Software

> Automatic check of instrument and results



Discover the Features



Maximum Onboard Stability

Two reagent trays with improved cooling



Full Flexibility

Huge variety of primary and secondary sample tubes







Automated Operation

Sample barcode reader and LIS



ProClean 2.0 Technology

Unique in its class

- > Minimal carry-over dual solution wash station
- > Low water consumption (< 3 l/h)
- > Separation and reduction of biohazard waste

HumaStar 300SR

Technical Data

Operation

- > Clinical chemistry and turbidimetry
- > Random access, STAT
- System reagent methods preinstalled and validated
- > Open channels with barcoded bottles
- > Up to 290 tests/hour

Samples

- > Removable sample tray
- > 60 positions
- > 12.5 mm primary tubes and 1 ml cups
- > Optional 16 mm tubes and 3.5 ml cups
- > Automatic pre- and post-dilution
- > Internal barcode reader

Reagents & solutions

- > 2 removable reagent trays
- > 40 positions
- > 70 and 25 ml bottles
- > Electronically controlled cooling

Pipetting

- > 2 pipetting needles
- > Needle shock detector
- > Capacitive liquid level detector
- Internal-, external- and method specific wash procedures

Reaction

- > 8-step cuvette wash station
- > Less than 3 I/h water consumption
- > Two different wash solutions
- > Method specific wash procedures
- Separate containers for normal and high contaminated waste

All information preliminary and subject to change

Software

- > External computer required
- > LIS: Bi-directional, ASTM, ethernet
- > English, French, Spanish
- > Designed for touchscreen
- Automatic check of reagents, expiry dates, calibration, hardware, maintenance, reaction and results

Environment

- > 100-240 V, 50/60 Hz
- > Less than 300 VA
- > 93 x 74 x 60 cm (W x D x H)
- > Approx. 70 kg
- > 16-30°C, < 80% humidity

Reagent kits

Please see our flyer "Clinical Chemistry Line" and catalog for available reagent kits and wash solutions.





Reagent Overview

Ordering Information		REF
HumaStar 300SR		16930
Accessories		REF
Sample tray	12.5 mm + cups	16890/10
Sample tray	16 mm + cups	16890/11
Reagent tray	20 positions	16930/13
Personal computer		18992P
TFT screen		17901M
Touchscreen monitor		18991MT
Laser printer		18993L
Consumables		REF
Sample tubes 5 ml	1000 pcs	16890/30
Sample cups 1 ml	1000 pcs	16890/31
Sample cups 2 ml	500 pcs	17470/59
Reagent bottles 25 n	nl 10 pcs (1,500 tests)	16770/25

Reagent bottles 70 ml 10 pcs (3,500 tests)



16770/70

